## IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A recording system in which an input a host device and a recording apparatus drive are connected to each other via a bus,

said input host device comprising

determination means for determining whether input content is to be protected, said recording apparatus <u>drive</u> comprising:

recording means for recording <u>user data and user control data in a unit of</u>

<u>physical cluster</u> on a recording medium, together with

wherein the content[[,]] is recorded in the user data, and protection information is recorded in the user control data, the protection information indicating whether the content is to be protected when being transmitted on the bus based on a determination result obtained by said determination means.

Claim 2 (Canceled).

Claim 3 (Currently Amended): A recording system according to claim 2, wherein the predetermined unit is 2048 bytes.

Claim 4 (Currently Amended): A recording system according to claim 1, wherein said recording apparatus <u>drive</u> further comprises encryption means for encrypting the content by using an ID and a recording medium key of the recording medium when said determination means determines that the content is to be protected.

Claim 5 (Currently Amended): A recording system according to claim 1, wherein said recording apparatus <u>drive</u> further comprises encryption means for encrypting the content by using at least a recording medium key of the recording medium when said determination means determines that the content is not to be protected.

Claim 6 (Currently Amended): A recording system according to claim 1, wherein each of said input host device and said recording apparatus drive further comprises authentication means for authenticating each other.

Claim 7 (Currently Amended): A recording system according to claim 1, wherein: said input host device further comprises first encryption means for encrypting the content before being sent to the bus when said determination means determines that the content is to be protected; and

said recording apparatus <u>drive</u> further comprises second encryption means for encrypting the content before being recorded by said recording means when said determination means determines that the content is to be protected.

Claim 8 (Original): A recording system according to claim 7, wherein said first encryption means prohibits the content from being encrypted before being sent to the bus when said determination means determines that the content is not to be protected.

Claim 9 (Currently Amended): A recording method for a recording system in which an input a host device and a recording apparatus drive are connected to each other via a bus, wherein comprising:

<u>determining</u>, at said input host device determines whether input content is to be protected; and

said recording apparatus records recording user data and user control data in a unit of physical cluster on a recording medium,

wherein together with the content is recorded in the user data, and protection information is recorded in the user control data, the protection information indicating whether the content is to be protected when being transmitted on the bus based on a determination result.

Claims 10-39 (Canceled).

Claim 40 (New): A recording system in which a host device and a recording drive are connected via a bus,

said host device comprising

a processor configured to determine whether input content is to be protected, said recording drive comprising:

a recording unit configured to record user data and user control data in a unit of physical cluster on a recording medium,

wherein the content is recorded in the user data, and protection information is recorded in the user control data, the protection information indicating whether the content is to be protected when being transmitted on the bus based on a determination result obtained by said determination means.